

Plants which are suitable for a Victorian woodland garden.

Queen Victoria reigned from 1837 to 1901

Veitch was an importer of plants in Exeter, it would be nice to use his introductions if possible. He sponsored many collecting expeditions. [History](#) here, list at the end of this document.

To create the feel of 'Victorian' it might be better to use species rather than later hybrids.

Acalypha Wilkesiana Tender shrub introduced 1844 might just survive in Glen Goyle

https://www.plantfileonline.net/plants/plant_details/6

<https://www.rhs.org.uk/plants/26012/i-acalypha-wilkesiana-i/details>

<https://www.gardenia.net/plant/acalypha-wilkesiana>

Little wildlife value.

~~~

### **Anemone**

Both spring flowering and autumn flowering anemones like woodland settings

Spring flowering can be native or from Europe, cultivated from early times.

<https://www.woodlandtrust.org.uk/trees-woods-and-wildlife/plants/wild-flowers/wood-anemone/>

<https://www.gardenersworld.com/plants/anemone-blanda/>

Autumn flowering 'Japanese Anemone' *Eriocapitella japonica*, collected in Japan but native to China.

Robert Fortune found this variety in 1843, growing in a graveyard in Shanghai, and sent it to England where it was named *E. japonica* or the Japanese anemone.

<https://www.gardenia.net/guide/pretty-japanese-anemones-for-your-garden>

<https://www.gardenersworld.com/how-to/grow-plants/japanese-anemones-grow-guide/>

<https://www.buzzaboutbees.net/Bees-Love-Japanese-Anemones.html> Food for insects.

~~~

Astilbe

These are a bit late for Victoria if we are being strict but they have the 'Victorian' feel.

<http://www.astilbecollection.co.uk/index.php/history>

They might work well in the low flat area near the southern end where the stream bends.

<http://www.astilbecollection.co.uk/index.php/cultivation>

<https://gardenerspath.com/astilbe/>

Astilbe Davidii first flowered for Veitch in 1901

Astilbe Thunbergii 1878

Flowers late May to September depending on variety, has nectar/pollen rich flowers

~~~

### **Azalea**

Evergreen garden azaleas from Japan and China were introduced during Victoria's reign but the surge in wild collecting happened mainly from 1899 to 1920s, which was at the very end of her reign as she died in Jan 1901.

Deciduous Azalea came from America and Europe, they started being hybridised in 1825,

<https://www.birminghambotanicalgardens.org.uk/rhododendron-azalea/>

Nectar from flowers (spring/early summer), no fruit. Boring the rest of the year except for some which have autumn colour.

~~~

Bamboo

~~~

### **Bergenia**

Some varieties were only discovered recently but the most commonly cultivated bergenias are of hybrid origins. Perhaps the most widely grown is *B. x schmidtii* (*B. ciliata* x *B. crassifolia*), which dates from 1875. Species known in cultivation from mid 1700s  
<https://www.rhs.org.uk/plants/bergenia>

Spring flowering but glossy low growing foliage all year. Pollen for bees.  
<https://www.gardenersworld.com/plants/bergenia-cordifolia-purpurea/>

~~~

Buddleja

Introduced in the 1890s from China. Fragrant. Tough, will live on dry banks. Benefits from a yearly prune in Feb/March

Mainly Summer/Autumn but *Buddleia Globosa* flowers in May/June..
Nectar source for butterflies, but it will also provide seeds for bullfinches and other seed-eating birds.

~~~

### **Cantua buxifolia,**

1844 Lobb half-hardy but probably worth trying. Sun and shelter.  
<https://www.rhs.org.uk/plants/3007/i-cantua-buxifolia-i/details>

~~~

Clematis

Victorians loved climbers. Especially scented ones like some *Clematis Montana* (Spring), roses and honeysuckle. There are *Clematis* for sun and shade and everything between, in general they don't like very acidic soil.

<https://www.taylorsclematis.co.uk/History-of-the-Clematis/>

Can be good for pollinators (some aren't), types can be found for flowering in almost any season and position from *Cirrhosa Balearica* in Winter/Early spring through to the *Tangutica* in Autumn. Small flowered *Clematis* produce seeds birds like. All climbers provide nesting sites, and places for overwintering insects.
Pruning may be necessary.

~~~

### **Crocus**

There are both spring and autumn types.

Spring types come from Europe and were being cultivated by 1620 so almost any colours would be appropriate, but only the species *crocus* are good for wildlife. Some cultivars don't open their petals wide enough for insects to get in. Try *Crocus tommasinianus*, *C. vernus*, and *C. Chrysanthus* some varieties of which are sweet smelling.

<https://www.rhs.org.uk/plants/crocus/early>

Early food source for insects and can be attractive to sparrows. Spring show then rests as bulbs.

Autumn types of *crocus* are also European and have been in cultivation for about the same amount of time, but there are some which are properly called *Colchicum autumnale* and is a member of the Lily family. It is important not to confuse these as *Crocus cartwrightianus* (*Sativus*) is where we get saffron and *Colchicum* are poisonous.

<https://www.rhs.org.uk/plants/4868/crocus-cartwrightianus/details>

<https://www.rhs.org.uk/plants/228075/colchicum-autumnale-wild-form/details>

Food for insects. Leaves in spring which then die back, flowers appear without leaves in autumn.

~~~

Daffodils and Narcissus.

Go for species types if possible.

~~~

### **Daphne**

A tricky, spring flowering, very scented, small shrub. As well as being fussy about where it will grow it is also poisonous, but there may be somewhere out of the way where its fragrance could still be enjoyed. Some like alkaline soil some like ericaceous.

It is found all over the world and one may be native to England, they have been in cultivation for a very long time but the glossy leaves and fragrance made them popular with the Victorians.

<https://www.rhs.org.uk/plants/daphne>

<https://www.rhs.org.uk/plants/articles/wisley/fragrant-daphne>

<https://community.rspb.org.uk/nature-on-your-doorstep/b/gardeningforwildlife/posts/blushing-daphne-in-the-woods>

Food for insects, berries in autumn. Greenfinches like the seeds.

~~~

Desfontainia spinosa was introduced into cultivation in Europe by William Lobb for Veitch in 1843. It has gained the Royal Horticultural Society's Award of Garden Merit. It requires a sheltered, partially shaded position in acid pH soil.

<https://www.rhs.org.uk/plants/101173/desfontainia-spinosa/details>

Slow growing up to 6 ft August to October, little wildlife value except for nesting/shelter

~~~

### **Edgeworthia chrysantha**

Scented shrub. Collected by Michael Pakenham Edgeworth in mid 1800s. (Ours was eaten by snails) Very exotic looking with flower heads appearing before leaves.

<https://www.rhs.org.uk/plants/86001/edgeworthia-chrysantha/details>

<https://www.rhs.org.uk/Search?query=edgeworthia>

Food source in winter/spring loved by bees, no fruit. Boring the rest of the year.

### **Fatsia Japonica**

F. japonica was introduced into Britain in 1838, and is now extremely popular in gardens due to its ease of cultivation and bold, evergreen, often variegated, foliage. Sun/shade

<https://www.birminghambotanicalgardens.org.uk/plants-of-the-month-january/fatsia-japonica-3/>

~~~

Fuchsia https://www.thebfs.org.uk/history_fuchsia.asp Sun/shade

F. coccinea, the first species of fuchsia cultivated in England, where it was long confined to the greenhouse, was brought from South America by Captain Firth in 1788 and placed in Kew Gardens. Of this species Mr Lee, a nurseryman at Hammersmith, soon afterwards obtained an example, and procured from it by means of cuttings several hundred plants, which he sold at a guinea each. In 1823 F. macrostemma and F. gracilis, and during the next two or three years several other species, were introduced into England. The following plants were recorded at Kew, F. lycioides in 1796; F. arborescens in 1824; F. microphylla in 1827 F. fulgens in 1830; F. corymbiflora in 1840 (now known as F. boliviana) and F. apetala, F. decussata, F. dependens and F. serratifolia in 1843 and 1844, the last four species attributable to Nursery Messrs. Veitch of Exeter. But it was not until about 1837, or soon after florists had acquired F. fulgens, that varieties of interest began to make their appearance.

<https://blog.thompson-morgan.com/history-of-fuchsias/>

Late Summer/Autumn flowers followed by berries. Modern fuchsia are not very good for pollinators but their berries are edible for humans as well as wildlife. *F. Magellanica* is very good for wildlife.

~~~

**Halleria Lucida** known as the Fuchsia Tree, frost tender but might grow in Glen Goyle. Pollen and fruits. Warm sheltered position.

<https://treesandshrubsonline.org/articles/halleria/halleria-lucida/>

~~~

Magnolia

Stellata, Veitch introduction. Early spring

~~~

### **Mandevilla**

Collected for Veitch in 1841 pink forms and *M. Splendens*. Might just survive outside in Glen Goyle.

<https://www.rhs.org.uk/plants/mandevilla/growing-guide>

~~~

Myosotis (Forget-me-not)

Myosotis sylvatica (Wood forget-me-not), *Myosotis arvensis* (Field or common forget-me-not) Native or long cultivated.

Early summer, good for insects.

~~~

### **Passiflora**

*P. tripartita* var. *Mollissima* collected for Veitch in 1842

<https://temperate.theferns.info/plant/Passiflora+tripartita+mollissima>

~~~

Privet

<https://www.rhs.org.uk/plants/91966/ligustrum-ovalifolium/details>

and

<https://www.rhs.org.uk/plants/87364/ligustrum-ovalifolium-aureomarginatum/details>

~~~

### **Rhododendron**

<http://www.bidstonhill.org.uk/rhododendrons/history-of-the-hardy-hybrid-rhododendrons/>

and

<https://www.duchyofcornwallnursery.co.uk/journal/rhododendrons-and-azaleas>

and

<http://www.rhodyman.net/rhodyhis.html>

Pollen from flowers, no fruit.

~~~

Snowdrops

~~~

### **Spiraea Japonica**

Native of Japan but long cultivated in China from which garden varieties introduced to England.

'Fortunei', 5 ft high (c. 1850), followed by 'Albiflora', 2 ft high (before 1864) and 'Bullata', 12 or 15 in.

high( before 1881), Spiraea anthony waterer cultivar was raised by 1890 at Knap Hill nurseries.

Flowers on new wood so can be pruned early spring. Can have summer and autumn leaf colour depending on cultivar. Flowers in Summer, prefers sun, good for insects.

**Spiraea veitchii**

<https://www.rhs.org.uk/plants/17699/spiraea-veitchii/details>

~~~

Trophaeolum (Nasturtium)

Annual or perennial scrambler which will self-seed if happy. Flowers attractive to insects, caterpillar food plant. Long season.

Trophaeolum umbellatum 1845-48

Trophaeolum peltophorum before 1848

~~~

**Viburnum**

INTRODUCTION

“The following is a list of a few of the most remarkable plants introduced to this country by Messrs. Veitch & Son :—

|                                |                               |
|--------------------------------|-------------------------------|
| Abutilon vitifolium.           | Impatiens Jerdoniæ.           |
| Ærides Lobbii.                 | Ixora javanica.               |
| Æschynanthus Lobbiana.         | „ Lobbii.                     |
| „ pulcher.                     | „ salicifolia.                |
| Anectochilus Lobbii.           | Lapageria rosea.              |
| Befaria æstuans.               | Lardizabala triternata.       |
| „ coarctata.                   | Laurus aromatica.             |
| Begonia coccinea.              | Leptosiphon aureum.           |
| Berberis Darwinii.             | „ luteum.                     |
| Bulbophyllum Lobbii.           | Lilium giganteum.             |
| Calanthe vestita.              | Limatodes rosea.              |
| „ curculigoides.               | Lomaria magellanica.          |
| Cantua dependens.              | Lomatia ferruginea.           |
| Ceratostemma longiflora.       | Magnolia fragrantissima.      |
| Collinsia heterophylla.        | Mahonia Leschenaulti.         |
| Cryptomeria Lobbii.            | Manettia coccinea.            |
| Cypripedium barbatum superbum. | Medinilla magnifica.          |
| „ caudatum.                    | „ speciosa.                   |
| Dendrobium albo-sanguineum.    | Mitraria coccinea.            |
| „ chrysotoxum.                 | Nepenthes albo-marginata.     |
| „ Farmerii.                    | „ lævis.                      |
| „ Kuhlîi.                      | „ lanata.                     |
| „ tortile.                     | „ Phyllamphora.               |
| „ transparens.                 | „ sanguinea.                  |
| „ Veitchianum.                 | Pernettya mucronata speciosa. |
| Desfontainea spinosa.          | Phalænopsis grandiflora.      |
| Deutzia gracilis.              | „ Lobbii.                     |
| Dracæna indivisa.              | „ rosea.                      |
| Echites atropurpurea.          | Philesia buxifolia.           |
| „ splendens.                   | Picea bracteata.              |
| Escallonia macrantha.          | Pleione humilus.              |
| „ organensis.                  | „ lagenaria.                  |
| Eschscholtzia tenuifolia.      | „ maculata.                   |
| Eugenia Ugni.                  | Pleroma elegans.              |
| Fitzroya Patagonica.           | Podocarpus nubigena.          |
| Fuchsia macrantha.             | Quercus ægrifolia.            |
| „ serratifolia.                | Rhododendron californicum.    |
| „ spectabilis.                 | „ jasminiflorum.              |
| Hexacentris lutea.             | „ javanicum.                  |
| „ mysorensis.                  | Rubus japonicus.              |
| Hindsia longiflora.            | „ leucodermis.                |
| „ violacea.                    | Saccolabium Blumei major.     |
| Hoya bella.                    | „ curvifolium.                |
| „ campanulata.                 | „ miniatum.                   |
| „ fraterna.                    | Saxe-Gothea conspicua.        |
| Sobralia dichotoma.            | Tropæolum speciosum.          |
| Sonerila margaritacea.         | Vanda cærulea.                |
| Telipogon obovatus.            | „ suavis.                     |
| Thuya gigantea.                | „ tricolor.                   |
| Torreya myristica.             | Veronica salicifolia.         |
| Tropæolum azureum.             | Viola lutea.                  |
| „ Lobbii.                      | Wellingtonia gigantea.        |
| „ Smithanum.                   | Whitlavia speciosa.”          |

## Further information

The plants below must have been in cultivation in Victorian England.

the son to purchase orchids from the Messrs. Rollisson. These orchids became the nucleus of the collection for which Messrs. Veitch are now, and have for so long been renowned. It may be interesting to mention, as an instance of versatility, that about the year 1839 Mr. Veitch entered with great spirit upon the growth of Dahlias for competition, the Exeter Dahlia Shows, open to all England, furnishing at that period one of the most tempting arenas for the display of horticultural prowess.

The material for the following 422 plates in *Curtis's Botanical Magazine* is attributed by the editors to Messrs. Veitch:—

- |                                                                         |                                                                      |
|-------------------------------------------------------------------------|----------------------------------------------------------------------|
| 1. <i>Gloxinia speciosa</i> , var. <i>macrophylla</i> . . . t. 3934.    | 8. <i>Begonia coccinea</i> . . . t. 3990.                            |
| 2. <i>Alstroemeria nemorosa</i> . . . t. 3958.                          | 9. <i>Gesneria polyantha</i> . . . t. 3995.                          |
| 3. <i>Primula denticulata</i> . . . t. 3959.                            | 10. <i>Echites hirsuta</i> . . . t. 3997.                            |
| 4. <i>Habranthus pratensis</i> , var. <i>quadriflora</i> . . . t. 3961. | 11. <i>Passiflora Actinia</i> . . . t. 4009.                         |
| 5. <i>Echites</i> ( <i>Dipladenia</i> ) <i>splendens</i> . . . t. 3976. | 12. <i>Stigmaphyllon heterophyllum</i> . . . t. 4014.                |
| 6. <i>Rondeletia longiflora</i> . . . t. 3977.                          | 13. <i>Canavalia ensiformis</i> . . . t. 4027.                       |
| 7. <i>Tropæolum azureum</i> . . . t. 3985.                              | 14. <i>Hypocyrtia strigillosa</i> . . . t. 4047.                     |
| 16. <i>Gomphrena pulchella</i> . . . t. 4064.                           | 15. <i>Clematis montana</i> , var. <i>grandiflora</i> . . . t. 4061. |
| 17. <i>Houlletia Brocklehurstiana</i> . . . t. 4072.                    | 63. <i>Lapageria rosea</i> . . . t. 4447.                            |
| 18. <i>Tropæolum Lobbianum</i> . . . t. 4097.                           | 64. <i>Mitraria coccinea</i> . . . t. 4462.                          |
| 19. <i>Asclepias vestita</i> . . . t. 4106.                             | 65. <i>Escallonia macrantha</i> . . . t. 4473.                       |
| 20. <i>Hindsia violacea</i> . . . t. 4135.                              | 66. <i>Dendrobium tortile</i> . . . t. 4477.                         |
| 21. <i>Barbacenia squamata</i> . . . t. 4136.                           | 67. <i>Oxalis elegans</i> . . . t. 4490.                             |
| 22. <i>Calceolaria floribunda</i> . . . t. 4154.                        | 68. <i>Dipteracanthus spectabilis</i> . . . t. 4494.                 |
| 23. <i>Calceolaria alba</i> . . . t. 4157.                              | 69. <i>Lardizabala biternata</i> . . . t. 4501.                      |
| 24. <i>Sida</i> ( <i>Abutilon</i> ) <i>pæoniæflora</i> . . . t. 4170.   | 70. <i>Hoya coriacea</i> . . . t. 4518.                              |
| 25. <i>Fuchsia serratifolia</i> . . . t. 4174.                          | 71. <i>Hoya purpureo-fusca</i> . . . t. 4520.                        |
| 26. <i>Siphocampylos coccineus</i> . . . t. 4178.                       | 72. <i>Ixora salicifolia</i> . . . t. 4523.                          |
| 27. <i>Tacsonia mollissima</i> . . . t. 4187.                           | 73. <i>Rhododendron jasminiflorum</i> . . . t. 4524.                 |
| 28. <i>Hebecladus biflorus</i> . . . t. 4192.                           | 74. <i>Stylidium saxifragoides</i> . . . t. 4529.                    |
| 29. <i>Cuphea cordata</i> . . . t. 4208.                                | 75. <i>Bolbophyllum Lobbii</i> . . . t. 4532.                        |
| 30. <i>Sida</i> ( <i>Abutilon</i> ) <i>vitifolium</i> . . . t. 4227.    | 76. <i>Medinilla magnifica</i> . . . t. 4533.                        |
| 31. <i>Fuchsia macrantha</i> . . . t. 4233.                             | 77. <i>Hoya campanulata</i> . . . t. 4545.                           |
| 32. <i>Cypripedium barbatum</i> . . . t. 4234.                          | 78. <i>Didymocarpus crinita</i> . . . t. 4554.                       |
| 33. <i>Æschynanthus purpurascens</i> . . . t. 4236.                     | 79. <i>Thibaudia macrantha</i> . . . t. 4566.                        |
| 34. <i>Tropæolum crenatiflorum</i> . . . t. 4245.                       | 80. <i>Cantua buxifolia</i> . . . t. 4582.                           |
| 35. <i>Collania andinamaricana</i> . . . t. 4247.                       | 81. <i>Berberis Darwinii</i> . . . t. 4590.                          |
| 36. <i>Clematis smilacifolia</i> . . . t. 4259.                         | 82. <i>Fitzroya patagonica</i> . . . t. 4616.                        |
| 37. <i>Æschynanthus Lobbianus</i> . . . t. 4260.                        | 83. <i>Eugenia Ugni</i> . . . t. 4626.                               |
| 38. <i>Pleroma elegans</i> . . . t. 4262.                               | 84. <i>Berberis wallichiana</i> . . . t. 4656.                       |
| 39. <i>Æschynanthus pulcher</i> . . . t. 4264.                          | 85. <i>Calanthe vestita</i> . . . t. 4671.                           |
| 40. <i>Scutellaria incarnata</i> . . . t. 4268.                         | 86. <i>Rubus biflorus</i> . . . t. 4678.                             |
| 41. <i>Escallonia organensis</i> . . . t. 4274.                         | 87. <i>Hoya fraterna</i> . . . t. 4684.                              |
| 42. <i>Nepenthes Rafflesiana</i> . . . t. 4285.                         | 88. <i>Dendrobium cretaceum</i> . . . t. 4686.                       |
| 43. <i>Calceolaria amplexicaulis</i> . . . t. 4300.                     | 89. <i>Cantua bicolor</i> . . . t. 4729.                             |
| 44. <i>Liebigia speciosa</i> . . . t. 4315.                             | 90. <i>Gilia</i> ( <i>Leptosiphon</i> ) <i>lutea</i> . . . t. 4735.  |
| 45. <i>Æschynanthus speciosus</i> . . . t. 4320.                        | 91. <i>Philesia buxifolia</i> . . . t. 4738.                         |
| 46. <i>Medinilla speciosa</i> . . . t. 4321.                            | 92. <i>Abies bracteata</i> . . . t. 4740.                            |
| 47. <i>Tropæolum speciosum</i> . . . t. 4323.                           | 93. <i>Wellingtonia gigantea</i> . . . t. 4777.                      |
| 48. <i>Æschynanthus longiflorus</i> . . . t. 4328.                      | 94. <i>Cerastostema longiflorum</i> . . . t. 4779.                   |
| 49. <i>Rhododendron javanicum</i> . . . t. 4336.                        | 95. <i>Torreya myristica</i> . . . t. 4780.                          |
| 50. <i>Tropæolum umbellatum</i> . . . t. 4337.                          | 96. <i>Desfontainia spinosa</i> . . . t. 4781.                       |
| 51. <i>Hoya cinnamomifolia</i> . . . t. 4347.                           | 97. <i>Hexacentris mysorensis</i> . . . t. 4786.                     |
| 52. <i>Ceropegia Cumingiana</i> . . . t. 4349.                          | 98. <i>Ceanothus floribundus</i> . . . t. 4806.                      |
| 53. <i>Fuchsia spectabilis</i> . . . t. 4375.                           | 99. <i>Ceanothus Lobbianus</i> . . . t. 4810.                        |
| 54. <i>Tropæolum Smithii</i> . . . t. 4385.                             | 100. <i>Eschscholtzia tenuifolia</i> . . . t. 4812.                  |
| 55. <i>Cantua pyrifolia</i> . . . t. 4386.                              | 101. <i>Whitlavia grandiflora</i> . . . t. 4813.                     |
| 56. <i>Sonerila stricta</i> . . . t. 4394.                              | 102. <i>Ceanothus papillosus</i> . . . t. 4815.                      |
| 57. <i>Hoya bella</i> . . . t. 4402.                                    | 103. <i>Befaria æstuans</i> . . . t. 4818.                           |
| 58. <i>Dipladenia urophylla</i> . . . t. 4414.                          | 104. <i>Dipladenia Harrisii</i> . . . t. 4825.                       |
|                                                                         | 105. <i>Escallonia pterocladon</i> . . . t. 4827.                    |
|                                                                         | 106. <i>Dipladenia acuminata</i> . . . t. 4828.                      |

59. *Heterotrichum macrodon* . t. 4421.  
60. *Macleania punctata* . t. 4426.  
61. *Loasa picta* . t. 4428.  
62. *Vanda tricolor* . t. 4432.
110. *Leptodactylon californicum* . t. 4872.  
111. *Gilia dianthoides* . t. 4876.  
112. *Phygellus capensis* . t. 4881.  
113. *Delphinium cardinale* . t. 4887.  
114. *Coeogyne speciosa* . t. 4889.  
115. *Æschynanthus fulgens* . t. 4891.  
116. *Tecoma fulva* . t. 4896.  
117. *Aphelandra variegata* . t. 4899.  
118. *Rhododendron moulmmainense* . t. 4904.  
119. *Correa cardinalis* . t. 4912.  
120. *Coffea benghalensis* . t. 4917.  
121. *Ribes subvestitum* . t. 4931.  
122. *Rhododendron Brookeanum* . t. 5935.  
123. *Hypericum oblongifolium* . t. 4949.  
124. *Adhatoda cydoniæfolia* . t. 4962.  
125. *Hoya coronaria* . t. 4969.  
126. *Sonerila elegans* . t. 4978.  
127. *Befaria Mathewsii* . t. 4981.
128. *Rhododendron Veitchianum* . t. 4992.  
129. *Forsythia suspensa* . t. 4995.  
130. *Viola pedunculata* . t. 5004.  
131. *Azalea occidentalis* . t. 5005.  
132. *Sonerila speciosa* . t. 5026.  
133. *Cosmanthus grandiflorus* . t. 5029.  
134. *Eugenia Luma* . t. 5040.  
135. *Calanthe Dominii* (hybrida) . t. 5042.  
136. *Pentstemon Jaffrayanus* . t. 5045.  
137. *Clianthus Dampieri* . t. 5051.  
138. *Gesneria Donklarii* . t. 5070.  
139. *Coeogyne Schilleriana* . t. 5072.  
140. *Æsculus californica* . t. 5077.  
141. *Nepenthes villosa* . t. 5080.  
142. *Thunbergia natalensis* . t. 5082.  
143. *Fuchsia simplicicaulis* . t. 5096.  
144. *Sonerila margaritacea* . t. 5104.  
145. *Nepenthes ampullaria* . t. 5109.  
146. *Ceanothus Veitchianus* . t. 5127.  
147. *Dendrobium albo-sanguineum* . t. 5130.  
148. *Æschynanthus cordifolius* . t. 5131.  
149. *Dendromecon rigidum* . t. 5134.  
150. *Spraguea umbellata* . t. 5143.  
151. *Calceolaria flexuosa* . t. 5154.
195. *Marianthus Drummondianus* . t. 5521.  
196. *Bertolonia guttata* . t. 5524.  
197. *Primula cortusoides*, var. *amcena* . t. 5528.  
198. *Alstroemeria densiflora* . t. 5531.  
199. *Calathea Veitchiana* . t. 5535.  
200. *Dendrobium Tattonianum* . t. 5537.  
201. *Dendrobium Johannis* . t. 5540.  
202. *Calathea tubispatha* . t. 5542.  
203. *Begonia Pearcei* . t. 5545.  
204. *Peperomia marmorata* . t. 5568.  
205. *Cymbidium Hookerianum* . t. 5574.  
206. *Ancylogyne longiflora* . t. 5588.
107. *Crawfordia fasciculata* . t. 4838.  
108. *Embothrium coccineum* . t. 4856.  
109. *Rhododendron californicum* . t. 4863.
152. *Ceanothus velutinus* . t. 5165.  
153. *Chamæbatia foliolosa* . t. 5171.  
154. *Richardia hastata* . t. 5176.  
155. *Ceanothus oreganus* . t. 5177.  
156. *Pteris quadriaurita* . t. 5183.  
157. *Phalænopsis grandiflora* . t. 5184.  
158. *Vanda gigantea* . t. 5189.  
159. *Pentapterygium rugosum* . t. 5198.  
160. *Phalænopsis rosea* . t. 5212.  
161. *Stenogaster concinna* . t. 5253.  
162. *Mutisia decurrens* . t. 5273.  
163. *Verticordia nitens* . t. 5286.  
164. *Ceropegia Gardneri* . t. 5306.  
165. *Limatodes rosea* . t. 5312.  
166. *Saccolabium miniatum* . t. 5326.  
167. *Nolana* (*Sorema*) *lanceolata* . t. 5327.  
168. *Philadelphus hirsutus* . t. 5334.  
169. *Ourisia coccinea* . t. 5335.  
170. *Lilium auratum* . t. 5338.  
171. *Berberidopsis corallina* . t. 5343.
172. *Plumbago rosea*, var. *coccinea* . t. 5363.  
173. *Lycioplesium pubiflorum* . t. 5373.  
174. *Calanthe Veitchii*: hybrida . t. 5375.  
175. *Calceolaria punctata* . t. 5392.  
176. *Homoianthus viscosus* . t. 5401.  
177. *Eranthemum tuberculatum* . t. 5405.  
178. *Miconia pulverulenta* . t. 5411.  
179. *Trichantha minor* . t. 5428.  
180. *Canscora Parishii* . t. 5429.  
181. *Alstroemeria Caldasii* . t. 5442.  
182. *Corylopsis spicata* . t. 5458.  
183. *Urceolina pendula* . t. 5464.  
184. *Cypripedium caricinum* . t. 5466.  
185. *Eranthemum Cooperi* . t. 5467.  
186. *Genethyllis fimbriata* . t. 5468.  
187. *Linum Macraei* . t. 5474.  
188. *Mimulus luteus*, var. *cuprea* . t. 5478.  
189. *Proustia pyrifolia* . t. 5489.  
190. *Manettia micans* . t. 5495.  
191. *Aglaonema marantæfolium*, var. *fol. mac.* . t. 5500.  
192. *Cypripedium lævigatum* . t. 5508.  
193. *Arum palæstinum* . t. 5509.  
194. *Hypœstes sanguinolenta* . t. 5511.
240. *Vanda insignis* . t. 5759.  
241. *Dendrobium crassinode* . t. 5766.  
242. *Saccolabium bigibbum* . t. 5767.  
243. *Palava flexuosa* . t. 5768.  
244. *Odontoglossum Krameri* . t. 5778.  
245. *Dipladenia boliviensis* . t. 5783.  
246. *Aphelandra acutifolia* . t. 5789.  
247. *Ærides japonicum* . t. 5798.  
248. *Blandfordia aurea* . t. 5809.  
249. *Vanda Denisoniana* . t. 5811.  
250. *Dendrobium lasioglossum* . t. 5825.  
251. *Orthosiphon stamineus* . t. 5833.  
252. *Vanda coerulescens* . t. 5834.  
253. *Vanda Cathcarti* . t. 5845.



207. *Fremontia californica* . . . t. 5591.  
208. *Sanchezia nobilis* . . . t. 5594.  
209. *Nierembergia Veitchii* . . . t. 5599.  
210. *Bolbophyllum reticulatum* t. 5605.  
211. *Nierembergia rivularis* . . . t. 5608.  
212. *Vanda Bensoni* . . . t. 5611.  
213. *Cattleya Dowiana* . . . t. 5618.  
214. *Curcuma Australasica* . . . t. 5620.  
215. *Angræcum citratum* . . . t. 5624.  
216. *Myrtus Cheken* . . . t. 5644.  
217. *Amaryllis pardinam* . . . t. 5645.  
218. *Stemonacanthus Pearcei* t. 5648.  
219. *Dendrobium macrophyllum Veitchianum* . . . t. 5649.  
220. *Gloxinia hypocyrtiflora* . . . t. 5655.  
221. *Begonia boliviensis* . . . t. 5657.  
222. *Begonia Veitchii* . . . t. 5663.  
223. *Lilium Leichtlinii* . . . t. 5673.  
224. *Cymbidium Huttoni* . . . t. 5676.  
225. *Calceolaria pisacomensis* t. 5677.  
226. *Dendrobium Bensoniæ* . . . t. 5679.  
227. *Begonia rosæflora* . . . t. 5680.  
228. *Saccolabium Huttoni* . . . t. 5681.  
229. *Thunia Bensoniæ* . . . t. 5694.  
230. *Begonia falcifolia* . . . t. 5707.  
231. *Eranthemum aspersum* . . . t. 5711.  
232. *Nasonia punctata* . . . t. 5718.  
233. *Epidendrum paniculatum* t. 5731.  
234. *Puya Whytei* . . . t. 5732.  
235. *Masdevallia Veitchiana* . . . t. 5739.  
236. *Aphelandra nitens* . . . t. 5741.  
237. *Agalmyla staminea* . . . t. 5747.  
238. *Thibaudia acuminata* . . . t. 5752.  
239. *Cœlogyne (Pleione) Reichembachiana* . . . t. 5753.  
280. *Calathea leucostachys* . . . t. 6205.  
281. *Pescatorea Dayana*, var. *rhodacra* . . . t. 6214.  
282. *Viburnum dilatatum* . . . t. 6215.  
283. *Episcia erythropus* . . . t. 6219.  
284. *Bouchea pseudogervæi* . . . t. 6221.  
285. *Hypoestes aristata* . . . t. 6224.  
286. *Allium anceps* . . . t. 6227.  
287. *Odontoglossum prænitens* t. 6229.  
288. *Calceolaria tenella* . . . t. 6231.  
289. *Monopyle racemosa* . . . t. 6233.  
290. *Pescatoria lamellosa* . . . t. 6240.  
291. *Leucothœ Davisiæ* . . . t. 6247.  
292. *Lilium phillipinense* . . . t. 6250.  
292. *Lycaste lasioglossa* . . . t. 6251.  
293. *Begonia Davisii* . . . t. 6252.  
294. *Masdevallia inocharis* . . . t. 6262.  
295. *Masdevallia triaristella* . . . t. 6268.  
296. *Monardella macrantha* . . . t. 6270.  
297. *Masdevallia attenuata* . . . t. 6273.  
298. *Oncidium cheiroporum* . . . t. 6278.  
299. *Cordia decandra* . . . t. 6279.  
300. *Boronia elatior* . . . t. 6285.  
301. *Cypripedium Haynaldianum* . . . t. 6296.  
302. *Haplopappus spinulosus* . . . t. 6302.  
303. *Lycaste Linguella* . . . t. 6303.  
304. *Notylia albida* . . . t. 6311.  
305. *Dendrobium crystallinum* t. 6319.  
306. *Oncidium Euxanthinum* . . . t. 6322.  
307. *Arthropodium neo-caledonicum* . . . t. 6326.  
254. *Cymbidium canaliculatum* t. 5851.  
255. *Beloperone ciliata* . . . t. 5888.  
256. *Begonia crinita* . . . t. 5897.  
257. *Darlingtonia californica* . . . t. 5920.  
258. *Epidendrum pseudepidendrum* . . . t. 5929.  
259. *Gilia achilleæfolia* . . . t. 5939.  
260. *Cœlogyne lentiginosa* . . . t. 5958.  
261. *Restrepia elegans* . . . t. 5966.  
262. *Dendrobium amethystoglossum* . . . t. 5968.  
263. *Phajus Blumei*, var. *Bernaysii* . . . t. 6032.  
264. *Odontoglossum vexillarium* . . . t. 6037.  
265. *Rhododendron malayanum* . . . t. 6045.  
266. *Sonerila Bensoni* . . . t. 6049.  
267. *Caraguata Zahnii* . . . t. 6059.  
268. *Campsidium chilense* . . . t. 6111.  
269. *Blumenbachia (Caiophora) contorta* . . . t. 6134.  
270. *Blumenbachia chuquiten-sis* . . . t. 6143.  
271. *Odontoglossum maxillare* t. 6144.  
272. *Epidendrum syringothyrsis* . . . t. 6145.  
273. *Wahlenbergia tuberosa* . . . t. 6155.  
274. *Masdevallia Peristeria* . . . t. 6159.  
275. *Odontoglossum (Miltonia) Warscewiczii* . . . t. 6163.  
276. *Hemichæna fruticosa* . . . t. 6164.  
277. *Balbisia verticillata* . . . t. 6170.  
278. *Cypripedium Argus* . . . t. 6175.  
279. *Masdevallia Davisii* . . . t. 6190.  
324. *Cypripedium Lawrenceanum* . . . t. 6432.  
325. *Pachystoma Thomsonianum* . . . t. 6471.  
326. *Conandron ramondioides* . . . t. 6484.  
327. *Cypripedium Spicerianum* t. 6490.  
328. *Mormordes Ocanæ* . . . t. 6496.  
329. *Chionographis japonica* . . . t. 6510.  
330. *Stelis Brückmülleri* . . . t. 6521.  
331. *Crinum purpurascens* . . . t. 6525.  
332. *Wormia Burbidgei* . . . t. 6531.  
333. *Jasminum gracillimum* . . . t. 6559.  
334. *Schismatoglottis crispata* . . . t. 6576.  
335. *Primula proculiformis (obconica)* . . . t. 6582.  
336. *Drosera capensis* . . . t. 6583.  
337. *Abelia spathulata* . . . t. 6601.  
338. *Zephyranthes citrina* . . . t. 6605.  
339. *Globba atro-sanguinea* . . . t. 6626.  
340. *Columnea Kalbreyeri* . . . t. 6633.  
341. *Celmisia spectabilis* . . . t. 6653.  
342. *Utricularia Endresii* . . . t. 6656.  
343. *Hamamelis japonica* . . . t. 6659.  
344. *Fraxinus Mariesii* . . . t. 6678.  
345. *Saxifraga cortusifolia* . . . t. 6680.  
346. *Hoya linearis* . . . t. 6682.  
347. *Rogersia podophylla* . . . t. 6691.  
348. *Cephælis tomentosa* . . . t. 6696.  
349. *Eranthemum Borneense* . . . t. 6701.  
350. *Sarmienta repens* . . . t. 6720.  
351. *Medinilla Curtisii* . . . t. 6730.

|                                                                        |                                                                                         |
|------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|
| 308. <i>Æchmea</i> (Chevalliera)<br><i>Veitchii</i> . . . . . t. 6329. | 352. <i>Rhododendron</i> <i>multicolor</i> t. 6769.                                     |
| 309. <i>Calceolaria</i> <i>lobata</i> . . . t. 6330.                   | 353. <i>Berberis</i> <i>congestifolia</i> , var.<br><i>hakeoides</i> . . . . . t. 6770. |
| 310. <i>Lilium</i> <i>neilgherrense</i> . . t. 6332.                   | 354. <i>Corylopsis</i> <i>himalayana</i> . t. 6779.                                     |
| 311. <i>Alloplectus</i> <i>peltatus</i> . . t. 6333.                   | 355. <i>Caryopteris</i> <i>mastacan-</i><br><i>thus</i> . . . . . t. 6799.              |
| 312. <i>Stenospermatium</i> <i>Wallisii</i> t. 6334.                   | 356. <i>Eucomis</i> <i>bicolor</i> . . . . t. 6816.                                     |
| 313. <i>Eranthemum</i> <i>laxiflorum</i> . t. 6336.                    | 357. <i>Odontoglossum</i> <i>Ærstedii</i> . t. 6820.                                    |
| 314. <i>Pleroma</i> <i>Gayanum</i> . . . . t. 6345.                    | 358. <i>Rhododendron</i> <i>javanicum</i> ,<br>var. <i>tubiflora</i> . . . . . t. 6850. |
| 315. <i>Crossandra</i> <i>guineensis</i> . t. 6346.                    | 359. <i>Ixora</i> <i>macrothyrsa</i> . . . t. 6853.                                     |
| 316. <i>Dendroseris</i> <i>macrophylla</i> . t. 6353.                  | 360. <i>Myrmecodia</i> <i>Beccarii</i> . . t. 6883.                                     |
| 317. <i>Spathoglottis</i> <i>Petri</i> . . . . t. 6354.                | 361. <i>Tillandsia</i> <i>chrysostachys</i> . t. 6906.                                  |
| 318. <i>Ardisia</i> <i>Oliveri</i> . . . . . t. 6357.                  | 362. <i>Amasonia</i> <i>calycina</i> . . . t. 6915.                                     |
| 319. <i>Magnolia</i> <i>stellata</i> . . . . t. 6370.                  | 363. <i>Pleurothallis</i> <i>insignis</i> . . t. 6936.                                  |
| 320. <i>Eurygania</i> <i>ovata</i> . . . . . t. 6393.                  | 364. <i>Phalænopsis</i> <i>Mariæ</i> . . . t. 6964.                                     |
| 321. <i>Watsonia</i> <i>densiflora</i> . . . t. 6400.                  | 365. <i>Anthurium</i> <i>Veitchii</i> . . . t. 6968.                                    |
| 322. <i>Burbidgea</i> <i>nitida</i> . . . . . t. 6403.                 |                                                                                         |
| 323. <i>Calceolaria</i> <i>deflexa</i> . . . t. 6431.                  |                                                                                         |
|                                                                        | 393. <i>Rhododendron</i> <i>rubiginosum</i> . . . . . t. 7621.                          |
| 366. <i>Heloniopsis</i> <i>japonica</i> . . . t. 6986.                 | 394. <i>Elæagnus</i> <i>macrophylla</i> . . t. 7638.                                    |
| 367. <i>Masdevallia</i> <i>gibberosa</i> . . t. 6990.                  | 395. <i>Dryandra</i> <i>calophylla</i> . . . t. 7642.                                   |
| 368. <i>Styrax</i> <i>Obassia</i> . . . . . t. 7039.                   | 396. <i>Rhododendron</i> <i>dilatatum</i> . t. 7681.                                    |
| 369. <i>Sarcochilus</i> <i>luniferus</i> . . . t. 7044.                | 397. <i>Corylopsis</i> <i>pauciflora</i> . . t. 7736.                                   |
| 370. <i>Licuala</i> <i>Veitchii</i> . . . . . t. 7053.                 | 398. <i>Lhotskya</i> <i>ericoides</i> . . . . t. 7753.                                  |
| 371. <i>Enkianthus</i> <i>campanulatus</i> . . . . . t. 7059.          | 399. <i>Cœlogyne</i> <i>Veitchii</i> . . . . t. 7764.                                   |
| 372. <i>Eucryphia</i> <i>pinnatifolia</i> . . t. 7067.                 | 400. <i>Manettia</i> <i>bicolor</i> . . . . . t. 7776.                                  |
| 373. <i>Heliampora</i> <i>nutans</i> . . . . . t. 7093.                | 401. <i>Rubus</i> <i>palmatus</i> . . . . . t. 7801.                                    |
| 374. <i>Zamia</i> <i>Wallisii</i> . . . . . t. 7103.                   | 402. <i>Corydalis</i> <i>thalictrifolia</i> . t. 7830.                                  |
| 375. <i>Abies</i> <i>brachyphylla</i> . . . . t. 7114.                 | 403. <i>Astilbe</i> <i>Davidii</i> . . . . . t. 7880.                                   |
| 376. <i>Caraguata</i> <i>angustifolia</i> . t. 7137.                   | 404. <i>Hamamelis</i> <i>mollis</i> . . . . t. 7884.                                    |
| 377. <i>Nepenthes</i> <i>Curtisii</i> . . . . t. 7138.                 | 405. <i>Senecio</i> <i>clivorum</i> . . . . . t. 7902.                                  |
| 378. <i>Scaphosepalum</i> <i>pulvinare</i> . . . . . t. 7151.          | 406. <i>Senecio</i> <i>tanguticus</i> . . . . t. 7912.                                  |
| 379. <i>Musa</i> <i>Basjoo</i> . . . . . t. 7182.                      | 407. <i>Lysimachia</i> <i>crispidens</i> . . t. 7919.                                   |
| 380. <i>Impatiens</i> <i>mirabilis</i> . . . . t. 7195.                | 408. <i>Corydalis</i> <i>Wilsoni</i> . . . . t. 7939.                                   |
| 381. <i>Didymocarpus</i> <i>lacunosa</i> . . t. 7236.                  | 409. <i>Dicentra</i> <i>chrysantha</i> . . . t. 7954.                                   |
| 382. <i>Æschynanthus</i> <i>obconica</i> . t. 7336.                    | 410. <i>Lysimachia</i> <i>Henryi</i> . . . . t. 7961.                                   |
| 383. <i>Dendrobium</i> <i>atroviolaceum</i> . . . . . t. 7371.         | 411. <i>Loropetalum</i> <i>chinense</i> . . t. 7979.                                    |
|                                                                        | 412. × <i>Zygocolax</i> <i>Veitchii</i> . . t. 7980.                                    |
| 384. <i>Trochodendron</i> <i>aralioides</i> . t. 7375.                 | 413. <i>Jasminum</i> <i>primulinum</i> . . . t. 7981.                                   |
| 385. <i>Angræcum</i> <i>Kotschyi</i> . . . . t. 7442.                  | 414. <i>Dendrobium</i> <i>bellatulum</i> . t. 7985.                                     |
| 386. <i>Scutellaria</i> <i>formosana</i> . . . t. 7458.                | 415. <i>Nepenthes</i> <i>Rajah</i> . . . . . t. 8017.                                   |
| 387. <i>Hypocyrtia</i> <i>pulchra</i> . . . . t. 7468.                 | 416. <i>Lycaste</i> <i>Locusta</i> . . . . . t. 8020.                                   |
| 388. <i>Celmisia</i> <i>Munroi</i> . . . . . t. 7496.                  | 417. <i>Meconopsis</i> <i>integrifolia</i> . t. 8027.                                   |
| 389. <i>Didymocarpus</i> <i>malayana</i> . t. 7526.                    | 418. <i>Primula</i> <i>tangutica</i> . . . . . t. 8043.                                 |
| 390. <i>Zamia</i> <i>obliqua</i> . . . . . t. 7542.                    | 419. <i>Sciadopitys</i> <i>verticillata</i> . t. 8050.                                  |
| 391. <i>Odontoglossum</i> <i>retusum</i> . . t. 7569.                  | 420. <i>Primula</i> <i>Veitchii</i> . . . . . t. 8051.                                  |
| 392. <i>Rhododendron</i> <i>yunnanense</i> . . . . . t. 7614.          | 421. <i>Lonicera</i> <i>pileata</i> . . . . . t. 8060.                                  |
|                                                                        | 422. <i>Lonicera</i> <i>tragophylla</i> . . . t. 8064.                                  |